

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

(12) **UK Patent Application** (19) **GB** (11) **2 366 989** (13) **A**

(43) Date of A Publication 27.03.2002

(21) Application No 0023397.3

(22) Date of Filing 23.09.2000

(71) Applicant(s)

**Terence Cleary**  
37 Dorning Rd, SWINTON, M27 5UK, United Kingdom

**Stephen Cowell**  
10 Ronaldsay Gdns, SALFORD, M52 9X,  
United Kingdom

(72) Inventor(s)

**Terence Cleary**  
**Stephen Cowell**

(74) Agent and/or Address for Service

**Terence Cleary**  
37 Dorning Rd, SWINTON, M27 5UK, United Kingdom

(51) INT CL<sup>7</sup>

**A01K 97/10**

(52) UK CL (Edition T )

**A3V V9B2A**

(56) Documents Cited

**GB 2039701 A**

**WO 88/03461 A**

**WO 85/02091 A**

**US 5619819 A**

**US 5123578 A**

**US 4993614 A**

**US 4587757 A**

**US 3917134 A**

(58) Field of Search

**UK CL (Edition R ) A3V V9B2A V9C2B**


**INT CL<sup>7</sup> A01K 97/10 , A41D 13/00 , A45F 3/14**

**Online: JAPIO, EPODOC, WPI**

(54) Abstract Title


**A rod holder**

(57) A rod holder comprises an adjustable strap 2 for attachment to the thigh of the angler. Said strap comprises an interchangeable hook or cup 8 for supporting the rod and a series of elasticated rings 6 for holding accessories eg. a disgorger. A further adjustable strap 4 is provided over the rings to hold the accessories in place. The strap components may be made from a waterproof material.



**GB 2 366 989 A**

Fig 1.



1/3

Fig 2.






Fig 3



# THE ROD HOLDER



W. C. CLOONEY

## The Rod Holder

Page 1

## [Technical field]

This invention relates to a rod and accessory holder for use in angling

## [Background]

At the moment when the angler catches a fish, it is nesscercery to hold the rod with one hand , leaving the other free to operate other equiptment. Lack of control of the rod can lead to the loss of the fish. Additinally, small accessores such as scissors and disgorger are needed at this time.

## [Technical features]

This invention provides for a hook or cup to support the rod and loops to hold small accessiores all fitted to a belt designed to be worn on the anglers thigh. The belt can be adjusted to accomidate various thigh sizes, and can be worn on the right or left and can be used sitting or standing.

## [Example]

A specific embodiment of the invention will now be described by way of example with reference to the accompanying drawing in which:-

Figure 1 shows top view of the belt .

Figure 2 shows sideview illustrating retaining loops

Figure 3 shows rod hook and retaining clip also loops and strap.

Figure 4 Shows strap in use and retaining accessiores.

Rod Holder  
Page2

Referring to the drawing the belt comprises an elasticated strap [fig1.1] which is fitted with an adjustable fastner on the underside [fig2.7] with a mounted strip [fig1.2]on the top. On the mounted strip is a retaining clip[fig1.3] and an accessory strap [fig1.4 ]this is also adjustable with a buckle [fig1.5] on the right hand side.

In order to retain accesories the the strap has underneath several elasticated loops[fig2.6] and comprises a quick retaining strap on the top[fig2.4]

The main feature of the stap is a pre formed hook [fig3.8] for retaining the rod this is demountable via a retaining clip [fig3.3]to allow other forms of retainer to be fitted i.e. Cup for fly fishing.

**Claims**

1. A adjustable strap comprising a facility for retaining and holding a rod and accessories
2. A adjustable strap as claimed in claim 1 wherein a retaining hook can be removed to facilitate fitting of a cup or other accessory.
3. A adjustable strap as claimed in claim 1 or claim 2 wherein elasticated loops are fitted to retain accessories.
4. A adjustable strap as claimed in claim 2 or 3 wherein a quick release strap is fitted over loops for retaining accessories.
5. A adjustable strap as claimed in claims 2,3,4 wherein a buckle is fitted for tensioning the quick release strap.
6. MADE FROM AN APPROPRIATE WATERPROOF MATERIAL.



**Amendments to the claims have been filed as follows**

Rod Holder  
Page 4

**Claims**

1. A adjustable strap comprising a facility for retaining and holding a rod and accessory.
2. A adjustable strap as claimed in claim 1 wherein a retaining hook can be removed to facilitate fitting of a cup or other accessory.
3. A adjustable strap as claimed in claim 1 or claim 2 wherein elasticated loops are fitted to retain accessories.
4. A adjustable strap as claimed in claim 2 or 3 wherein a quick release strap is fitted over loops for retaining accessories.
5. A adjustable strap as claimed in claims 2,3,4 wherein a buckle is fitted for tensioning the quick release strap.
6. A adjustable strap as claimed in claims 2,3,4,5. wherein the componants are made of a watwerproof material.



Application No: GB 0023397.3  
Claims searched: 1-6

Examiner: Peter Mason  
Date of search: 25 October 2000

## Patents Act 1977 Search Report under Section 17

### Databases searched:

UK Patent Office collections, including GB, EP, WO & US patent specifications, in:

UK Cl (Ed.R): A3V:

Int Cl (Ed.7): A01K: 97/10.  
A41D: 13/00  
A45F: 3/14

Other: Online: JAPIO, EPODOC, WPI

### Documents considered to be relevant:

Category	Identity of document and relevant passage		Relevant to claims
A	GB2039701 A	PROCTOR (See whole document)	-
X,Y	US5619819	HAUSCHILD (See col.2, line 48 et seq. and figs.)	X:1,6 Y:3
A	US5123578	MORSE (See whole document)	-
Y	US4993614	BONOFIGLO (See figs)	3
X	US4587757	LIRETTE (See col.3, line 49 et seq. col.2, line 49 et seq.)	1,3,6
X	US3917134	TUMLINSON (See. Fig. 1 and col. 1, line 9 et seq.)	1,6
A	WO88/03461	GRANLIND (See figs)	-
A	WO85/02091	PROTACK (See whole document)	-

X	Document indicating lack of novelty or inventive step	A	Document indicating technological background and/or state of the art.
Y	Document indicating lack of inventive step if combined with one or more other documents of same category.	P	Document published on or after the declared priority date but before the filing date of this invention.
&	Member of the same patent family	E	Patent document published on or after, but with priority date earlier than, the filing date of this application.